



Taking Inside Out

20MM PORCELAIN PAVING COLLECTION





Create an outdoor space that extends your interior design into attractive outside rooms, gardens and pathways; perfect for modern lifestyles, entertaining and relaxing.

The Armapave collection of high quality porcelain paving slabs is packed with inspirational images and products.

Each has been carefully chosen to help you transform your garden, patio, balcony or landscape into a luxurious living space that will continue to look fabulous throughout its lifetime.

Easy to clean and maintain and aesthetically beautiful, Armapave 20mm porcelain paving is the ideal choice for all your outdoor spaces.

Front Cover Image - Statuario Blanco 40x120cm Pavers

Stylish and contemporary, the cement effect Duplex Marfil 60x120cm paving slabs, with matching indoor tile options, are the perfect combination of high quality, easy to maintain surfaces expanding your living space beyond the threshold.



Contents

6	Features & Benefits
8	Belgian Stone
10	Bodum Stone
16	California Wood
20	Camino
22	Cardoso
24	Cementi
26	Cobble
28	Decorative Paving
30	Duplex Cementi
34	Duplex Stone
38	Marble
40	Nebreda Wood
42	Pietra
44	Sentiero
46	Terrazzo
48	Vitece
50	Yuki Wood
52	Armastone Cladding
56	Fabricated Tableware
58	Planters
60	Fabricated Stair Treads, Nosing, Skirting & Drainage Channels
62	Matching Kerbs & Wall Coping Slabs
64	Installation Methods
66	Technical Information

Vitece Grey 90x90cm pavers, with matching indoor tiles, are anti slip, frost resistant porcelain with a contemporary concrete effect finish designed for modern indoor/outdoor living.



Features & Benefits



Easy to Clean & Maintain



Non-porous - Inhibits Moss & Algae Growth



Slip Resistant Finish



Highly Durable - Scratch & Abrasion Resistant



Resistant to Frost & Thermal Shock



UV Fade Resistant



Stain/Oil Resistant - Perfect for BBQ areas



No Sealing Required



High Newton Strength



Resistant to Chemicals, Acids & Abrasive Cleaning Products



Resistant to Salt



Reusable - Depending on fitting system utilised

Belgian Stone

60x60cm / Belgian Stone Grey



Belgian Stone Perla

PAMBEL60T / 60x60cm



Belgian Stone Grey

PAMBEL61T / 60x60cm



Belgian Stone Sable

PAMBEL62T / 60x60cm



Belgian Stone Black

PAMBEL63T / 60x60cm

Technical Characteristics



Edges Rectified	Resistant to Scratch Abrasion PEI-5	Pieces per m ² 60X60 / 2.78
Surface Matt	Newton Strength >35N/mm²	
Slip Resistance R11 / PTV (Wet) 55	Surface Variation V3	

Matching Internal Tile Options

Size 60x60cm / 75x75cm 90x90cm / 120x120cm
Surface Matt
Slip Resistance (Matt) R11 / PTV (Wet) 45

Bodum Stone

60x60cm / Bodum Stone Beige

 Exterior
 Interior
 Max of 25% Overlap Recommended
 V3 Moderate Variation



Bodum Stone Beige

ALABOD50T
60x60cm

Bodum Stone Grey

ALABOD51T
60x60cm

Technical Characteristics

Edges Rectified	Resistant to Scratch Abrasion PEI-5	Pieces per m ² 60x60 / 2.78
Surface Matt	Newton Strength >35N/mm ²	
Slip Resistance R11/C/PTV (Wet) 54	Surface Variation V3	

Matching Internal Tile Options

Sizes 30x60 / 45x45 / 60x60, 60x120 / 100x100
Surface Matt
Slip Resistance R11/C/PTV (Wet) 54

Bodum Stone

60x90cm / Bodum Stone Anthracite

 Exterior
 Interior
 Max of 25% Overlap Recommended
 V3 Moderate Variation



Bodum Stone Beige

ALABOD60T
60x90cm



Bodum Stone Grey

ALABOD61T
60x90cm



Bodum Stone Anthracite

ALABOD62T
60x90cm


Technical Characteristics

Edges Rectified	Resistant to Scratch Abrasion PEI-5	Pieces per m ² 60x90 / 1.85
Surface Matt	Newton Strength >35N/mm ²	
Slip Resistance R11/C/PTV (Wet) 54	Surface Variation V3	

Matching Internal Tile Options

Sizes
 30x60 / 45x45 / 60x60,
 60x120 / 100x100
 Surface
 Matt
 Slip Resistance
 R11/C/PTV (Wet) 54


The highly attractive Bodum Stone porcelain pavers, and matching indoor tiles, have a unique slip resistant technology built in that offers smoother, easy to clean surfaces while simultaneously providing superior support under foot.



Recreating the incredible characteristics of natural wooden planks, Nebreda Elm 30x120.5 paving slabs and matching indoor tiles have unique ingrained features and strong, tactile appeal with slip resistant surfaces.

California Wood

30x120cm / California Wood Honey



California Wood Honey
PAMSON52T
30x120cm



California Wood Nordic
PAMSON51T
30x120cm



California Wood Cognac
PAMSON50T
30x120cm

Technical Characteristics

Edges Rectified	Resistant to Scratch Abrasion PEI-5	Pieces per m ² 30x120 / 2.78
Surface Matt	Newton Strength 40N/mm ²	
Slip Resistance R11 / PTV (Wet) 55	Surface Variation V4	

Matching Internal Tile Options

Size 20x120cm / 22.5x180cm / 30x180cm
Surface Matt
Slip Resistance (Matt) R10 / PTV (Wet) 30



Camino

60x90cm / Limestone Beige

 Exterior
 Max of 25% Overlap Recommended
 V2 Slight Variation



Quartzstone Anthracite
BOLQUA02T
60x90cm



Limestone Beige
BOLLIM01T
60x90cm





Quartzstone Grey
BOLQUA01T
60x90cm

Technical Characteristics

Edges Rectified	Slip Resistance R11 / B / PTV (Wet) +36	Newton Strength 55N/mm ²	Pieces per m ² 60x90 / 1.85
Surface Matt	Resistant to Scratch Abrasion PEI-4	Surface Variation V2	

Cardoso

50x100cm / Cardoso Stone Silver



Cardoso Stone Anthracite
RAGCAR50T
50x100cm



Cardoso Stone Grigio
RAGCAR51T
50x100cm



Cardoso Stone Silver
RAGCAR52T
50x100cm

Technical Characteristics

Edges Rectified	Resistant to Scratch Abrasion PEI-5	Pieces per m ² 50x100 / 2
Surface Matt	Newton Strength >45N/mm ²	
Slip Resistance R11 / B / PTV (Wet) 45	Surface Variation V2	

Matching Internal Tile Options

Size 30x60cm / 60x60cm / 60x120cm / 75x75cm
Surface Matt / Semi-Polished / Structured
Slip Resistance (Matt) R10 / PTV (Wet) +36



Inspired by the intense grey stone quarried on the slopes of the Apuan Alps, Cardoso 50x100cm Porcelain Pavers and matching indoor tiles are the ideal design solution for contemporary residential and commercial projects.

Cementi

60x60cm / Assell Graphite



60x60cm / Assell Grey 



Assell Grey
ALAASS50T
60x60cm

Assell Graphite
ALAASS51T
60x60cm

Technical Characteristics

Edges Rectified	Resistant to Scratch Abrasion PEI-5	Pieces per m ² 60x60 / 2.78
Surface Matt	Newton Strength 55N/mm²	
Slip Resistance R11 / C / PTV (Wet) +36	Surface Variation V2	


Matching Internal Tile Options

Size 30x60cm / 45x45cm / 60x60cm / 100x100cm
Surface Matt
Slip Resistance R9
45x45cm available in R11 / C / PTV (Wet) +36

Assell Cementi 60x60cm pavers and matching indoor tiles are the perfect match of substance and style for contemporary high-end design and modern living.

Cobble

60x60cm / Grey Cobble Mix with Grey White Arc Decor



Bruno Cobble Mix
RONAUR50T 60x60cm



Bruno Cobble Arc
RONAUR51T 60x60cm



Bruno White Arc
RONAUR52T 60x60cm



Grey Cobble Mix
RONAUR54T 60x60cm



Grey Cobble Arc
RONAUR56T 60x60cm



Grey White Arc
RONAUR57T 60x60cm



Multicolour Cobble Mix
RONEMI50T 60x60cm



Multicolour Cobble Arc
RONEMI51T 60x60cm



Multicolour White Arc
RONEMI52T 60x60cm

Technical Characteristics

Edges Rectified	Resistant to Scratch Abrasion PEI-5	Pieces per m ² 60x60 / 2.78
Surface Matt	Newton Strength 55N/mm ²	
Slip Resistance R11 / C / PTV (Wet) 47	Surface Variation V3	

Matching Internal Tile Options

Sizes 60x60cm
Surface Matt
Slip Resistance R11 / C / PTV (Wet) 47

Decorative Paving

60x60cm / Thebes



Thebes

RVPTHE01T / 60x60cm

RVPTHE02 / 20x20cm

Technical Characteristics


Edges Rectified	Resistant to Scratch Abrasion PEI-5	Pieces per m ² 60x60 / 278
Surface Matt	Newton Strength >35N/mm ²	20x20 / 25
Slip Resistance R10 / PTV (Wet) +36	Surface Variation V1	

Matching Internal Tile Options

Size 20x20cm
Surface Matt
Slip Resistance (Matt) R10

Duplex Cementi

60x120cm / Duplex Cementi Taupe



Duplex Gris

PAMDUP50T 60x120cm
PAMDUP60T 60x60cm



Duplex Marfil

PAMDUP51T 60x120cm
PAMDUP61T 60x60cm



Duplex Perla

PAMDUP52T 60x120cm
PAMDUP62T 60x60cm



Duplex White

PAMDUP53T 60x120cm
PAMDUP63T 60x60cm



Duplex Taupe

PAMDUP54T 60x120cm
PAMDUP64T 60x60cm

Technical Characteristics

Edges Rectified	Resistant to Scratch Abrasion PEI-5	Pieces per m ² 60x120 / 1.39
Surface Matt	Newton Strength >35N/mm²	60x60 / 2.78
Slip Resistance R11 / PTV (Wet) 50	Surface Variation V2	

Matching Internal Tile Options


Size 20x120cm / 30x60cm 45x90cm / 60x60cm / 60x120cm
Surface Matt
Slip Resistance R11 / PTV (Wet) 50



The graphic patterns and chromatic effects throughout Ardesien 50x100cm paving and matching indoor tiles perfectly replicate the dark, elegant beauty of natural sedimentary slate.

Duplex Stone

60x60cm / Duplex Stone Marfil



Duplex Stone Gris

PAMDUP56T 60x120cm
 PAMDUP66T 60x60cm



Duplex Stone Marfil

PAMDUP57T 60x120cm
 PAMDUP67T 60x60cm



Duplex Stone Perla

PAMDUP58T 60x120cm
 PAMDUP68T 60x60cm



Duplex Stone Marengo

PAMDUP59T 60x120cm
 PAMDUP69T 60x60cm

Technical Characteristics

Edges Rectified	Resistant to Scratch Abrasion PEI-5	Pieces per m ² 60x120 / 1.39 60x60 / 2.78
Surface Matt	Newton Strength >35N/mm²	
Slip Resistance R11 / PTV (Wet) 50	Surface Variation V3	

Matching Internal Tile Options

Size
30x60 / 45x90 / 60x60,
60x120 / 75x75 / 90x90
 Surface
Matt
 Slip Resistance
R11 / PTV (Wet) 50



Marble


40x120cm / Statuario



40x120cm / Travertino 



Inspired by the famous Colonnade in St Peter's Square in Rome, Travertino 40x120cm pavers celebrate the unmistakable characteristics and veining of natural Italian Travertine.



Statuario
MAZALL201T
40x120cm



Travertino
MAZALL200T
40x120cm

Technical Characteristics

Edges
Rectified
Surface
Matt
Slip Resistance
R10 / B / PTV (Wet) +36

Resistant to Scratch Abrasion
PEI-5
Newton Strength
>45N/mm²

Surface Variation
V3 - Statuario
V2 - Travertino
Pieces per m²
40x120 / 2.08

Matching Internal Tile Options

Size
30x60cm / 30x120cm / 60x60cm / 60x120cm
Statuario Only
90x90cm
Surface
Matt / Polished
Slip Resistance (Matt)
R9

Nebreda Wood

30x120.5cm / Nebreda Wood Honey

 Exterior
 Interior
 Max of 25% Overlap Recommended
 V3 Moderate Variation



Nebreda Wood Elm

CIFNEB20T 30x120.5cm



Nebreda Wood Maple

CIFNEB21T 30x120.5cm



Nebreda Wood Oak

CIFNEB22T 30x120.5cm

Technical Characteristics

Edges Rectified	Resistant to Scratch Abrasion PEI-4	Pieces per m ² 30x120.5 / 277
Surface Matt	Newton Strength >40N/mm²	
Slip Resistance R11/C/PTV (Wet) +36	Surface Variation V3	

Matching Internal Tile Options

Size 10x59 / 20x60, 23x120 / 30x120
Surface Matt
Slip Resistance R11/C/PTV (Wet) +36

Pietra

100x50cm / Pietra Gris

 Exterior
 Max of 25% Overlap Recommended
 V3 Moderate Variation



Pietra Greige
MAZMYS200T
100x50cm



Pietra Gris
MAZMYS201T
100x50cm




Pietra Anthracite
MAZMYS202T
100x50cm

Technical Characteristics

Edges Rectified	Slip Resistance R11 / B / PTV (Wet) >36	Newton Strength >35N/mm ²	Pieces per m ² 50x100 / 2
Surface Matt	Resistant to Scratch Abrasion PEI-5	Surface Variation V3	

Sentiero

45x90cm / Sentiero Valstone Grey



Sentiero Limestone Taupe

BOLLIM05T 45x90cm



Sentiero Quartzstone Beige

BOLQUA07T 45x90cm



Sentiero Shellstone Grey

BOLSHE01T 45x90cm



Sentiero Valstone Grey

BOLVAL01T 45x90cm



Technical Characteristics

Edges Rectified	Slip Resistance R11 / B / PTV (Wet) +36	Newton Strength >55N/mm ²	Pieces per m ² 45x90 / 2.47
Surface Matt	Resistant to Scratch Abrasion PEI-4	Surface Variation V2	

Characterised by sophisticated elegance and a timeless beauty Valstone Grey pavers effortlessly provide a classic look in modern, attractive tones.

Terrazzo

80x80cm / Terrazzo Greige



Terrazzo Anthracite
MAZMYS210T
80x80cm



Terrazzo Grey
MAZMYS211T
80x80cm



Terrazzo Greige
MAZMYS212T
80x80cm



Terrazzo Beige
MAZMYS213T
80x80cm

Technical Characteristics

Edges Rectified	Resistant to Scratch Abrasion PEI-5	Pieces per m ² 80x80 / 2.08
Surface Matt	Newton Strength >45N/mm ²	
Slip Resistance R11 / B / PTV (Wet) +36	Surface Variation V2	

Matching Internal Tile Options

Size 30x60cm / 60x60cm / 75x75cm / 75x150cm
Surface Matt / Structured
Slip Resistance (Matt) R10 / PTV (Wet) +36

Inspired by Italian architecture the Terrazzo Collection faithfully portrays the luxurious grey ornamental stone quarried on the slopes of Mount Clemo with deep encrusted pebbles and naturally occurring tones.



Vitece Gris
PAMVIT20T

90x90cm



Vitece Marengo
PAMVIT21T

90x90cm



Vitece Moka
PAMVIT22T

90x90cm



Vitece Arena
PAMVIT23T

90x90cm



Vitece Perla
PAMVIT24T

90x90cm

Technical Characteristics



Edges Rectified	Resistant to Scratch Abrasion PEI-4	Pieces per m ² 90x90 / 1.23
Surface Matt	Newton Strength >35N/mm ²	
Slip Resistance R11/C/PTV (Wet) +36	Surface Variation V2	

Matching Internal Tile Options

Sizes
30x60 / 60x60,
60x120 / 90x90
Surface
Matt
Slip Resistance
R11/C/PTV (Wet) +36

Yuki Wood

30x120.5 / Yuki Wood Honey



Yuki Wood Grey

CIFYUK20T 30x120.5cm



Yuki Wood Honey

CIFYUK21T 30x120.5cm



Yuki Wood Oak

CIFYUK22T 30x120.5cm



Yuki Wood Walnut

CIFYUK23T 30x120.5cm

Technical Characteristics

Edges Rectified	Resistant to Scratch Abrasion PEI-3/4	Pieces per m ² 30x120.5 / 2.77
Surface Matt	Newton Strength >35N/mm²	
Slip Resistance R11/PTV (Wet) +36	Surface Variation V3	

Matching Internal Tile Options

Size 20x120
Surface Matt
Slip Resistance R11/PTV (Wet) +36



ARMASTONE Natural Stone Cladding

Naturally timeless modular stone cladding collection suitable for internal or external feature walls.

7 COLOURS | 1 FINISH | 1 SIZE

The armastone Collection offers a range of beautiful, textured natural stone finishes that provide the perfect design feature. Both classical and contemporary, this 100% natural stone, lightweight, modular system is simple and quick to install and suitable for both interior and exterior applications.


Our natural stone interlocking 'Z' shape panels stack seamlessly together to create stunning and distinctive features without the need to employ professional labour or qualified stonemasons.

Armastone is the perfect solution for:

- **Feature Walls**
- **External Walls**
- **Garden Walls**
- **Porches**
- **Commercial Buildings**
- **Fireplaces**

Armastone Cladding

Mourne Quartzite Stone



Bangor Split-face Slate Stone
ARMBANOIT
57x15cm



Causeway Split-face Quartzite Stone
ARMCAU0IT
57x15cm



Errigal Split-face Sand Stone
ARMERROIT
57x15cm



Mourne Flamed-face Quartzite Stone
ARMMOU0IT
57x15cm



Rathlin Split-face Quartzite Stone
ARMRAT0IT
57x15cm



Sperrin Black Split-face Quartzite Stone
ARMSPE0IT
57x15cm



Sperrin Galaxy Split-face Quartzite Stone
ARMSPE02T
57x15cm

Technical Characteristics

Type	Application	Thickness
Natural Stone	Interior and Exterior Vertical	10-18mm
Colour	Flat Panel Size	Weight
Various	15x57cm	31-3.6kg each / 34.5-41.5kg per m ²
Finish	Packaging	
Matt	6 pcs/box; 288 pcs/crate	



Small Coffee Table
600x600x51mm



Low Coffee Table
900x900x400mm



Long Coffee Table
1200x600x510mm



4 Person Dining Table
1200x1200x760mm



6 Person Dining Table
1800x900x760mm



10 Person Dining Table
2600x1200x760mm



Round Bistro Table
740x675mm



High Poseur Table
650x650x1100mm



Bench Seat
1200x300x470mm

Fabricated Tableware

We fabricate outdoor tables and bench seating to perfectly complement your patio and garden paving. Each table and bench is manufactured to suit each individual customer and project.

Complete the look with our stylish fabricated steel tables and furniture, finished with porcelain tile inserts to exactly match your paving and flooring options. Each design can be manufactured in any size to suit the aesthetics and specific needs of individual projects.

Our tables can be fabricated for you to suit porcelain tiles/slabs up to 3200x1600mm. Each table frame is available in a range of powder coated colour options and is fully galvanised to prevent rusting. The steel frames are guaranteed rust free for 5 years**T&Cs Apply

The fabricated outdoor tables and furniture are extremely durable and ideally suited for hospitality and commercial design schemes as well as all types of residential projects.

Simply select the tile/paver/slab you wish to use and we will fabricate the frame to suit. But don't worry we can fabricate it in a range of colours (available on request).

** Rust Free Guarantee is valid providing frames are not damaged, scratched, scraped or chipped.

Size
Made to order

Floor Fixing Points
Yes
Variations available on request

Frame Material
Mild Steel - 25mm box


Support Material
25x6mm Flat Steel

Insert Material
Select from any of our Armapave porcelain paving slabs or standard tile ranges.

Galvanised
Yes

Powder Coated
Yes

Colour
Satin Black
Other colours available on request



Planters

Complete your landscaping project with bespoke planter boxes that perfectly complement your exterior paving.

We can manufacture planter boxes from your porcelain paving slabs that will connect and seamlessly integrate the hard and soft textures of your garden.

Example sizes
60x60x60cm, 30x30x30cm, 100x25x25cm



Add some personality to your project by customising your outdoor space with bespoke designs laser etched on your fabricated planter boxes;


- Company Signage or Sports Club Logos
- Personal Messages and Individual Sentiments
- Garden Poem, Verse or Quotes

Fabricating Stair Treads, Nosings, Skirtings and Drainage Channels for Integrated Tile Solutions




Using industrial saws and waterjet cutting technology we precision cut, mitre, groove, edge and shape even the hardest porcelain tiles and slabs (from 6mm up to 20mm); fabricating high quality stair treads to complement all types of interior or exterior tiling schemes.


Our fabrication processes enable us to create a wide variety of stair treads, edges, nosings, risers and slip resistant finishes for every type of application. We also create porcelain pool edges and drainage channel covers for that complete luxurious, seamless surface aesthetic.




MITRED TREAD with 50mm Drop Down (ME50)



ROUND EDGE TREAD and Skirting Pieces (RE20)



MITRED GRADONE TREAD with 40mm Facing Edge (GRAD40)



DRAINAGE CHANNEL and Pool Edges


The colour of the fabricated round edge will depend on the base colour of the porcelain tile rather than the finished surface on it.

Standard Facing Edge depth is 50mm for outdoor paving slabs and 40mm for indoor tiles. Other sizes are available on request.

Mitred edge stair treads are micro-bevelled to prevent potential damage and chipping during use.

Bespoke Fabrication Services

As we fabricate each stair tread, skirting and drainage channels to specification, on a project by project basis, you can select the option to best suit your individual design scheme.



Camino Limestone Beige Step Edge with Round Edge Nosing

BOLLIM01K 900x93mm



Camino Quartzstone Grey Step Edge with Round Edge Nosing

BOLQUA01K 900x93mm



Camino Quartzstone Anthracite Step Edge with Round Edge Nosing

BOLQUA02K 900x93mm



Camino Limestone Beige Step Edge with Mitred Edge Nosing

BOLLIM01ME 900x93mm



Camino Quartzstone Grey Step Edge with Mitred Edge Nosing


BOLQUA01ME 900x93mm




Camino Quartzstone Anthracite Step Edge with Mitred Edge Nosing

BOLQUA02ME 900x93mm


Stair treads can be fabricated with a variety of additional anti-slip grooves and inserts (resin and metal options) to suit individual designs and tiling schemes.




ANTI-SLIP GROOVES (3G)



ANTI-SLIP RESIN INSERTS (3GR)



ANTI-SLIP METAL INSERTS (3GM)




50MM ANTI SLIP RESIN STRIP (50GR)

Edge Profiles and Slip Resistant Insert Options

Examples of standard tile sizes used in our fabrication processes:
300x300, 400x400, 500x500, 600x300, 600x600, 600x900 & 600x1200 - Other sizes on request


Drawings and dimensions are for illustration purposes only




20RE
20mm Round Edge Stair Tread




20RF
20mm Returned Face Stair Tread




20-GRAD50
20mm Mitred Gradone Stair Tread with 50mm Dropdown




20-ME50
20mm Mitered Edge Stair Tread with 50mm Dropdown




20RE-3G
20mm Round Edge Stair Tread with 3 Anti-Slip Grooves




20RF-3G
20mm Returned Face Tread with 3 Anti-slip Grooves




20-GRAD50-3G
20mm Mitred Gradone Stair Tread with 50mm Dropdown and 3 Anti-slip Grooves




20-ME50-3G
20mm Mitred Edge Stair Tread with 50mm Dropdown and 3 Anti-slip Grooves




20RE-3GM
20mm Round Edge Stair Tread with 3 Anti-Slip Metal Inserts




20RF-3GM
20mm Returned Face Tread with Anti-slip Metal Inserts




20-GRAD50-3GM
20mm Mitred Gradone Stair Tread with 50mm Dropdown and 3 Anti-slip Metal Inserts




20-ME50-3GM
20mm Mitred Edge Stair Tread with 50mm Dropdown and 3 Anti-slip Metal Inserts




20RE-3GR
20mm Round Edge Stair Tread with 3 Anti-Slip Resin Inserts




20RF-3GR
20mm Returned Face Tread with 3 Anti-slip Resin Inserts




20-GRAD50-3GR
20mm Mitred Gradone Stair Tread with 50mm Dropdown and 3 Anti-slip Resin Inserts




20-ME50-3GR
20mm Mitred Edge Stair Tread with 50mm Dropdown and 3 Anti-slip Resin Inserts




20RE-50GR
20mm Round Edge Stair Tread with 50mm Anti-Slip Resin Strip



20RF-50GR
20mm Returned Face Tread with 50mm Anti-slip Resin Strip



20-GRAD50-50GR
20mm Mitred Gradone Stair Tread with 50mm Dropdown and 50mm Anti-slip Resin Strip



20-ME50-50GR
20mm Mitred Edge Stair Tread with 50mm Dropdown and 50mm Anti-slip Resin Strip

Matching Kerbs & Wall Coping Slabs

Matching Kerbs and Wall Coping slabs really add the extra finishing touches to make your paving and landscaping project stand out.

From your porcelain paving selection our expert team manufacture a variety of bespoke decorative options to suit your individual project's needs, allowing you to exactly match your wall and edging details with your porcelain paving to amplify the aesthetic beauty of the exterior designs.


Matching porcelain kerbs help create contemporary, luxurious finishing details with neat, clean lines for superior finishes. Manufactured from your porcelain slab selection to perfectly complement your project design.



Camino Quartzstone Anthracite Cobble
BOLQUAI0T
93x93mm



Camino Quartzstone Grey Cobble
BOLQUAI1T
93x93mm



Camino Quartzstone Anthracite Border Strip
BOLQUAI5T
146x600mm



Camino Quartzstone Grey Border Strip
BOLQUAI6T
146x600mm

Installation Methods

The versatility of the armapave porcelain paving collection means you can create your outdoor space to suit your individual designs and area available.

20mm porcelain paving slabs can be easily laid dry on sand, grass or gravel. This process is fast to install without the need for highly skilled labour and the pavers can easily be lifted, moved and repositioned if required.

Alternatively, they can be installed on raised adjustable height pedestals over new or existing surfaces that will allow access below for substrate maintenance, pipework, electrics etc. This is ideal for installations on balconies or patios where access to waterproofing membrane or pipework may be required.

For more permanent placements the porcelain pavers can be installed using traditional paving methods with a standard sand/cement mortar on a hardcore substrate.

For areas with regular heavy foot traffic or loads from cars etc. they can be laid onto a concrete base using highly deformable external grade adhesive such as Mapei Ultraflex S2 (Class C2FTS2).

Even if you plan to have your pavers professionally installed it is a good idea to be familiar with the process. Here is a quick guide for installing armapave in a variety of areas:

- Directly On Grass
- Directly On Gravel/Pebbles
- With Sand/Cement Mortar on Hardcore
- With Tile Adhesive on Concrete/Cement Substrates
- With Pedestals for raise flooring systems

In all cases refer to professional advice and instruction for proper installation methods to maintain the long term integrity of the installed surfaces.



Installing armapave Porcelain Pavers on Grass/Lawn

Installation on grass can be performed in two ways:

A) Direct: Dry set the paver on to grass leaving 4-5cm wide joints to allow the grass to grow through. Results will be long lasting but stability of the surface will be subject to soil movements.

B) Flush: Cut out and remove 5cm of soil beneath area where paving slab will be installed. Compact the soil and fill with gravel or sand. Compact this layer and dry set the paving slab on top ensuring it is level with the surrounding grass.



Installing armapave Porcelain Pavers on Gravel

Installation on gravel is suitable for mainly flat surfaces. Prepare the ground with a layer (10/15 cm) of finely crushed stone, then add a layer of gravel (4/8 mm diameter). Level out the gravel and use a straight edge to finish the surface before dry-laying the porcelain paving.

Installing armapave Porcelain Pavers on compacted base

Prepare the ground with a layer (min 15 cm) of finely crushed stone and compact it to create a solid base of at least 10cm deep. Blend a 4:1 mortar mix using sharp sand and ordinary cement. Using a slurry primer (SBR), coat the back of each porcelain paver immediately prior to installation on a 30mm deep mortar bed.



Installing armapave Porcelain Pavers on a solid concrete substrate

Where there is likely to be persistent foot traffic or heavy loads from cars driving on the pavers it is recommended to install them with highly flexible exterior grade tile adhesive, on to a solid concrete substrate, to ensure the long term integrity of the product. In this method the pavers are laid in the same manner as laying floor tiles inside the house. Leave a tile gap of at least 4mm and respect expansion joints.



Installing armapave Porcelain Pavers on raised pedestal system

On terraces, balconies or where under tile access is required it is possible to build a raised level floor that still allows rainwater drainage. This can also be used to create a flat floor over a sloped surface using our recommended Schlüter®-TROBA-LEVEL pedestal system

Why Choose armapave™




Easy to Clean & Maintain



Non-porous - Inhibits Moss & Algae Growth



Slip Resistant Finish



Highly Durable - Scratch & Abrasion Resistant



Resistant to Frost & Thermal Shock



UV Fade Resistant



Stain/Oil Resistant - Perfect for BBQ areas



No Sealing Required



High Newton Strength



Resistant to Chemicals, Acids & Abrasive Cleaning Products



Resistant to Salt



Reusable - Depending on fitting system utilised

Variations in shade are inherent in all kiln fired products and are one of the natural characteristics of porcelain paver. Additionally, as manufacturers intentionally make pavers to resemble natural stone and wood products shading and texture are added to replicate their physical characteristics.

To assist customers in selecting the pavers that suit their project a colour variation guide is widely used to identify the degree of shading and colour movement in the finished paving products.



V1
Uniform Appearance



V2
Slight Variation



V3
Moderate Variation



V4
Substantial Variation

NOTE: Every production run of porcelain pavers is given a batch number, which is printed on the outside of the packaging. If you require additional pavers to complete your project, please ensure to provide this batch number at time of ordering.

Technical Information

Easy to Clean & Maintain

Yes

Slip Resistant

Yes

Contemporary & Appealing

Yes

Stain Resistant

Yes

BBQ Oil Resistant

Yes

Resistant to Moss & Algae Growth

Yes

Colourfast & Fade Resistant

Yes

Matching Indoor Options Available

Yes

Suitable for Raised Flooring

Yes

Strong & Durable

Yes

Long Life

Yes

Versatile

Yes

Value for Money

Yes

Armapave 20mm Porcelain Paving



TAKING INSIDE OUT

20MM OUTDOOR PORCELAIN PAVING COLLECTION

DISTRIBUTED BY



/ARMATILE



ARMATILE.COM



0044 2837527007